




LEDS C4

LUNO


15-5926-14-OU



The photograph may not match the reference exactly. Please read the product description to identify the finish.



[Download photometric file .ldt /.ies](#)



[Click on image to download energy label](#)

TECHNICAL CHARACTERISTICS

Type:	Ceiling fixture
IP Protection degrees:	IP20
Light source 1:	324 x LED
Bulb specified at the product label	97W Warm White - 3000K 10800 lm ^(N) CRI 80
Total power consumption (W):	105
Angle of the optics / Reflector:	
Voltage / Frequency:	100-240VAC/50-60Hz
Warranty:	2
Option to extend the guarantee:	5
Units per box:	1
Net Weight (Kg):	10.000
EAN Code:	8435381465612



MATERIALS / FINISHES

Structure material: Aluminium



Diffuser material: Methacrylate

Structure finish: White






Diffuser finish: Matt

GEAR

Multi-voltage electronic gear included (Yes)



SURFACE



PENDANT

1

OFF

According normative, installation must support

Ø400mm	15kg
Ø600mm	25kg
Ø900mm	60kg
Ø1200mm	110kg

2

3

a

b

4

a

b

5

6

a

b

c

7

a

b

Flat side

8

max. 2m

ON

RECESSED

1

OFF

min. 20 min. 20

Ø400mm
Ø600mm
Ø900mm
Ø1200mm

2

a

b

According normative, installation must support

Ø400mm	15kg
Ø600mm	25kg
Ø900mm	60kg
Ø1200mm	110kg

max. 1.5m

3

a

4

a

5

6

5

Flat side

ON